UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/561,791	12/21/2005	Koichi Arai	050795	4347
	7590 03/19/200 TOS & HANSON, LL	EXAMINER		
1420 K Street, N.W.			TAOUSAKIS, ALEXANDER P	
Suite 400 WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER
			3726	
			MAIL DATE	DELIVERY MODE
			03/19/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
	10/561,791	ARAI ET AL.					
Office Action Summary	Examiner	Art Unit					
	ALEXANDER P. TAOUSAKIS	3726					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
	VIC OFT TO EVEIDE AMONTHY	C) OD THIRTY (20) DAVC					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 21 De	ecember 2005.						
	action is non-final.						
3) Since this application is in condition for allowar	,—						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1-3,6-9 and 14-17</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5)⊠ Claim(s) <u>14 and 17</u> is/are allowed.							
6)⊠ Claim(s) <u>1-3,6-9,15 and 16</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	relection requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.						
10) The drawing(s) filed on is/are: a) □ acce	epted or b) objected to by the E	Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of:							
1. Certified copies of the priority documents have been received.							
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal P						
Paper No(s)/Mail Date <u>12/21/2005</u> . 6) Other:							

Art Unit: 3726

DETAILED ACTION

Claim Objections

Claim 9 is objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim cannot depend from another multiple dependent claim. See MPEP § 608.01(n). However, claim 9 has been examined as though it were written --according to claim 6 or 7-- rather than "according to any one of claims 6 through 8" as it is currently written.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 16 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

There is insufficient antecedent basis for the limitation "said movable plate" (line 2) in either of claims 1 and 2. It appears that claim 16 should actually depend from claim 14 instead.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this

Art Unit: 3726

subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-3 and 15 are rejected under 35 U.S.C. 102(e) as being anticipated by Friese (Pub 2006/0123629).

1. Friese teaches a method of forming a wheel rim hump portion (12) along a circumferential direction on an outer circumferential wall surface of a vehicular wheel rim (1) (see Abstract) gripped by gripping means (2b) (Figure 4), comprising the steps of: supporting said vehicular wheel rim (1) from the outer circumferential wall surface thereof with a first die (upper shaping roller 10) having a recess (seen substantially toward the distal end of upper shaping roller 10 for forming hump portion 12), and pressing said vehicular wheel rim (1) from an inner circumferential wall surface thereof with a ridge (seen substantially at the distal end of lower shaping roller 10 for forming hump portion 12) disposed on a second die (lower shaping roller 10) coupled to a rotational shaft (unlabeled in Figure 4) at a position corresponding to said recess to raise the outer circumferential wall surface of said vehicular wheel rim (1); and rotating said rotational shaft (see Figure 4 and paragraph [0044]) to displace said ridge along the circumferential direction on the inner circumferential wall surface of said vehicular wheel rim (1), thereby raising said outer circumferential wall surface along the circumferential direction to form a hump portion (12, see Figure 4).

2. Friese teaches a method according to claim 1, wherein said first die (*upper shaping roller* 10) has another recess different from said recess (*seen substantially at* 11), and when said vehicular

Art Unit: 3726

wheel rim (1) is supported from said outer circumferential wall surface thereof, a curled portion (11) on an end of said vehicular wheel rim (1) is accommodated and supported in said other recess (see Figure 4).

- 3. Friese teaches a method according to claim 1 or 2, wherein a roller having said ridge projecting from a side circumferential wall thereof is used as said second die (*lower shaping roller* 10, *see Figure 4*).
- 15. Friese teaches the apparatus according to claim 1, further comprising fixing means for positioning and fixing said first die which is closed (see Figure 4 and note that rollers/dies 10 are positioned adjacent and fixed onto the rim 1 by unlabeled arms/spindles).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.

Art Unit: 3726

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Friese (Pub 2006/0123629).

6. Friese teaches an apparatus for forming a wheel rim hump portion (12) along a circumferential direction on an outer circumferential wall surface of a vehicular wheel rim (1) gripped by gripping means (2b) (see Figure 4), comprising:

a first die (upper shaping roller 10) having a recess (seen substantially at 12), for supporting said vehicular wheel rim (1) from an outer circumferential wall surface thereof (see Figure 4); a second die (lower shaping roller 10) coupled to a rotational shaft (see Figure 4) and having a ridge (seen substantially at the distal end of lower shaping roller 10) at a position corresponding to said recess; and

rotating means for rotating said rotational shaft (unlabeled in Figure 4);

wherein said vehicular wheel rim (1) is pressed from an inner circumferential wall surface thereon with said ridge of said second die (*lower shaping roller* 10) (*see Figure 4*), and plastically deformed material of said vehicular wheel rim (1) is caused to enter said recess of said first die (*upper shaping roller* 10) to raise said outer circumferential wall surface of said vehicular wheel rim (1) (*see Figure 4*); and

wherein said rotational shaft (see Figure 4) is rotated to displace said ridge along the circumferential direction on the inner circumferential wall surface of said vehicular wheel rim (1), thereby raising said outer circumferential wall surface along the circumferential direction to form a hump portion (see Figure 4).

Friese fails to teach a placement table for placing said vehicular wheel rim (1) thereon.

Page 6

The Examiner takes Official Notice that it is well known in the art that formed wheel rims are conventionally placed on a placement table for supporting and handling the wheels prior to or subsequent to roller forming the rim. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a placement table for the vehicle wheel rim (1) of Friese for storage and handling.

- 7. Friese teaches the apparatus according to claim 6, wherein said first die (10) has another recess different from said recess (seen substantially at 11 in Figure 4), and when said vehicular wheel rim (1) is supported from said outer circumferential wall surface thereof, a curled portion on an end of said vehicular wheel rim (1) is supported in said other recess (see Figure 4).
- 8. Friese teaches the apparatus according to claim 6 or 7, wherein said second die (10) comprises a roller having said ridge (seen substantially at 12) projecting from a side circumferential wall thereof (see Figure 4).
- 9. Friese teaches the apparatus according to claim 6 or 7, further comprising reversing means for reversing said gripping means (see [0028], where it discloses that the gripping means 2b may be moved in the axial direction, i.e. may reversed to remove the wheel rim 1).

Allowable Subject Matter

Claims 14 and 17 are allowed.

Claim 16 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action, and to include all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

Claim 14: The prior art fails to teach the claimed apparatus for forming a wheel rim hump portion comprising two movable plates on a first die thereof.

Claim 17: The prior art fails to teach the claimed apparatus for forming a wheel rim hump portion comprising a gripping means, a first die having a recess, a second die having a ridge a rotating means and a support member displacing means for displacing the support member, where the support member supports a curled portion.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ALEXANDER P. TAOUSAKIS whose telephone number is (571)272-3497. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3726

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Alexander P Taousakis Examiner Art Unit 3726

/A. P. T./ Examiner, Art Unit 3726

/David P. Bryant/ Supervisory Patent Examiner, Art Unit 3726